PRODUCT GROUP: ENGINEERING

PRODUCT CODE: 61

| S.No. | Export Product | Rounded Off Rates | Value Cap |
|-------|--|-------------------------|------------|
| 1 | 2 | 3 | 4 |
| | | | |
| 1 | All Aluminium Conductors (AAC) bare | 9 | |
| 2 | Aluminium Conductors Steel Re-inforced (ACSR) | 9 | |
| 3 | Aluminium conduit bodies made of Aluminium and other alloying constituents | 7 | |
| 4 | Aluminium Flexible Tubing | 7 | |
| 5 | Deleted | 0 | |
| 6 | Table, Kitchen and other Household Articles made of Aluminium with or without handle, irrespective of what material the handle may have been made of | 7 | |
| 7 | Extruded aluminium products including pipe and tubes | 7 | |
| 8 | Cast articles including parts/components of Aluminium | 7 | Rs.125/Kg |
| 9 | Rolled Aluminium plates, sheets, strips including corrugated Aluminium sheets/strips | 7 | |
| 10 | 11 KV Heat shrinkable Dry type indoor termination for Switch gear with line in Boot for XLPE cable 240 mm sq. | 11 | |
| 11 | 11 KV Heat shrinkable Dry Type outdoor termination for XLPE cable size 3 X 185 mm. sq. | 11 | |
| 12 | 11 KV Heat shrinkable Dry Type outdoor termination for XLPE cable size 3 X 95 mm. sq. | 11 | |
| 13 | 600/1000 V Heat shrinkable straight joints for cable size 4 X 240 mm. sq | 11 | |
| 14 | 600/1000 V Heat shrinkable straight joints for cable size 4 X 185 mm. sq. | 11 | |
| 15 | 600/1000 V Heat shrinkable straight joints for cable size 4 X 120 mm. sq. | 11 | |
| 16 | 600/1000 V Heat shrinkable straight joints for cable size 4 X 70 mm. sq. | 11 | |
| 17 | 600/1000 V Heat shrinkable straight joints for cable size 4 X 16 mm. sq. | 11 | |
| 18 | 600/1000 V Outdoor overhead termination complete with cable lugs & Armour clamping ring for 4 core copper cable 4x120 Sq.mm | 11 | |
| 19 | Electrical Wiring Accessories/Components wholly made of Brass | 10 | Rs.240/Kg. |
| 20 | Complete ceiling fan with metal blades (36"/42"/48"/56"/60") | 5 | |
| 21 | Electric Pedestal Fan | 9 | |
| 22 | Electric table fans | 9 | |
| 23 | Fluorescent Tubes (18/20 /36/40 Watts) | 11 | |
| 24 | Galvanised transmission line towers and parts thereof | 10 | Rs.45/Kg. |

ieport.com - India's Premier portal on EXIM matters

| 25 | GLS Lamps (upto 100 Watts and below) | 11 |
|----|--|----|
| 26 | H.P.M.V. Lamps (250 W) | 11 |
| 27 | H.P.S.V Lamps (250 W) | 11 |
| 28 | H.P.S.V Lamps Arc Tube (Burners) (150/250/400 W) | 11 |
| 29 | H4 Halogen Lamps 45/40W to 130/90W (12 V to 24 V) | 11 |
| 30 | Insulation Tube Heat Shrinkable (For sleeve conductor) 16 to 25 mm sq. Copper Conductor. | 11 |
| 31 | Insulation Tube Heat Shrinkable (For sleeve conductor) 70 to 120 mm sq. Copper Conductor | 11 |
| 32 | Insulation Tube Heat Shrinkable (For sleeve conductor) 185 to 240 mm. sq. Copper conductor | 11 |
| 33 | Marine Cable flexible Non Burning (TPR) 4 X 1.5 | 10 |
| 34 | Marine Cable flexible Non Burning (TPR) 4 X 2.5 | 10 |
| 35 | Marine Cable flexible Non Burning (TPR) 12 X 1.5 | 10 |
| 36 | Marine Cable flexible Non Burning (TPR) 3 X 4.00 | 10 |
| 37 | Marine Cable flexible Non Burning (TPR) 3 X 6.00 | 10 |
| 38 | Marine Cable flexible Non Burning(TPR) 2 x 1.5 | 10 |
| 39 | Marine Cable flexible Non Burning(TPR) 3 x 1.5 | 10 |
| 40 | Marine Cable Non Burning for Stationary laying (PVC) 2 X 1.5 | 10 |
| 41 | Marine Cable Non Burning for Stationary laying (PVC) 2 X 2.5 | 10 |
| 42 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 1.5 | 10 |
| 43 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 2.5 | 10 |
| 44 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 10.00 | 10 |
| 45 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 16.00 | 10 |
| 46 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 25.00 | 10 |
| 47 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 50.00 | 10 |
| 48 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 70.00 | 10 |
| 49 | Marine Cable Non Burning for Stationary laying (PVC) 3 X 95.00 | 10 |
| 50 | Marine Cable Non Burning for Stationary laying (PVC) 7 X 1.5 | 10 |
| 51 | Marine Cable Non Burning for Stationary laying (PVC) 12 x 1.5 | 10 |
| 52 | Out door Weather proof light fitting with Glass Shell/ Acrylic cover excluding Automotive light fittings. | 9 |
| 53 | Outdoor Over Head Termination Kits complete with Cable Gland and/or Bush PVC Shroud (with or without ring, lock and nut) | 10 |
| 54 | Single Phase Electrical Energy Meter | 10 |
| 55 | 11 KV straight through Joints for XLPE Copper Cable size 3 x 95 Sq. mm. | 10 |
| 56 | Starter Motor Armature for High Speed Vehicles Cars etc. | 8 |

ieport.com - India's Premier portal on EXIM matters

| 57 | Stator for Alternator for Heavy Duty (12 Volts 105-190 Amps) | 10 | |
|------|---|----|-------------|
| 58 | Stator for Alternator for Medium Duty (12 Volts 95- 105 Amps) | 10 | |
| 59 | Steel Welding Electrodes | 11 | |
| 60 | Thermocouple Cartridges of PT/PT-13% RH (type-R) Mark VII | 5 | |
| 61 | Three Phase Electrical Energy Meter | 10 | |
| 62 | Tinned/Untinned copper cables lugs /sockets/ connections | 10 | Rs.260/Kg |
| 63 | Tinned/Untinned copper ferules | 10 | Rs.260/Kg |
| 64 | Tinned/Untinned copper terminals ends | 10 | Rs.260/Kg. |
| 65 | Ferrous Automotive Products | 3 | |
| 66A | Nuts/Bolts/screws/washers made of Alloy steel including stainless steel | 10 | Rs.60/Kg. |
| 66B | Nuts/Bolts/Screws/washers made of Non-alloy Steel | 10 | Rs.25/Kg |
| 67A | Bright bars made out of Stainless Steel | 13 | Rs.90/Kg. |
| 67B | Bright bars made out of Mild Steel | 10 | Rs.30/Kg |
| 67C | Bright bars made out of items other than Stainless Steel and mild steel | 10 | Rs.35/Kg. |
| 68A | Carbon Steel/ Non Alloy Steel Forgings (Machined) | 13 | Rs.105/Kg. |
| 68B | Alloy Steel Forgings (Machined) | 13 | Rs.175/Kg |
| 68C | Stainless steel forgings (Machined) | 13 | Rs.400/Kg. |
| 69A | Carbon Steel/Non Alloy Steel Forgings (Rough) | 13 | Rs.85/Kg. |
| 69B | Alloy Steel Forgings (Rough) | 13 | Rs.125/Kg |
| 69C | Stainless steel forgings (rough) | 13 | Rs.300/Kg. |
| 70 A | High tensile precision fastners Cold/ Hot forged Bolts/ Screws/Nuts-All varieties of Alloy steel/Stainless steel | 8 | Rs.60/Kg. |
| 70 B | High tensile precision fastners Cold/ Hot forged Bolts/ Screws/Nuts-All varieties of Non-Alloy steel | 8 | Rs.25/Kg. |
| 71 A | Hot forged nuts of Alloy Steel including Stainless Steel | 10 | Rs.60/Kg. |
| 71 B | Hot forged nuts of Non-Alloy Steel | 10 | Rs.25/Kg. |
| 72 | Cast Iron Products (Rough/Machined) (not elsewhere specified) | 8 | |
| 73 | Powrah/Hoe/Pickaxe/Kudali/ Pick Mattock/ Cutter Mattock/ Trowel/ Transplantor /Fork/ Cultivator/ Weeder made of Iron and/or steel | 9 | Rs.40/Kg. |
| 74 | Chisels made of forging quality carbon steel | 9 | |
| 75 | Drop forged Pliers of Alloy steel/Non-alloy Steel | 9 | |
| 76 | Hand Drill | 10 | |
| 77 | High Tensile precision Industrial Wrenches made of AISI-8650 (High Tensile) | 9 | |
| 78 | Pipe Wrenches | 9 | |
| 79 | Punches | 9 | |
| 80 | Screw Drivers (Nickel plated) | 9 | |
| 81 | Spanners made of alloy/non-alloy steel | 9 | |
| 82 | Steel files of Alloy Steel | 9 | |
| 83 | Steel files of High Carbon Steel | 9 | |
| 84 | Steel Vices | 9 | |
| 85 | Cold Rolled Galvanised, Colour coated Non-Alloy steel sheets/ hoops and strips/ wide coils (plain / corrugated) | 13 | Rs.29000/MT |

ieport.com - India's Premier portal on EXIM matters

ieport.com - India's Premier portal on EXIM matters

| 133 | Deleted | | |
|-----|---|----|-----------|
| 134 | Female Hinge | 12 | |
| 135 | Flange Plate | 12 | |
| 136 | Floor Flange | 9 | |
| 137 | Fork | 11 | |
| 138 | Fork digging with socket | 10 | |
| 139 | Galvanised non alloy Steel Wire Ropes (wire steel | 10 | |
| 139 | core) | 9 | |
| 140 | Galvanised non alloy Steel Wire Ropes (fibre core) | 9 | |
| 141 | Galvanised Pipes/ tubes with wall thickness above | 9 | |
| 141 | 3mm to 4mm | 13 | Rs.20/Kg. |
| 142 | Galvanised Pipes/ tubes conforming to ASTM | 13 | Rs.20/Kg. |
| | Specification with wall thickness 1mm or below | 13 | N3.20/Ng. |
| 143 | Galvanised Pipes/ tubes conforming to ASTM | | |
| | Specification with wall thickness above 1mm to | 13 | Rs.20/Kg. |
| | 2mm | | |
| 144 | Galvanised Pipes/ tubes conforming to ASTM | | |
| | Specification with wall thickness above 2mm to | 13 | Rs.20/Kg. |
| | 3mm | | |
| 145 | Galvanised Pipes/ tubes conforming to ASTM | | |
| | Specification with wall thickness above 3mm to | 13 | Rs.20/Kg. |
| | 4mm | | |
| 146 | Galvanised Pipes/ tubes conforming to ASTM | | |
| | Specification with wall thickness above 4mm to | 13 | Rs.20/Kg. |
| | 5mm | | |
| 147 | Galvanised Pipes/ tubes conforming to ASTM | 13 | Do 20/Kg |
| | specification with wall thickness 5mm and above | 13 | Rs.20/Kg. |
| 148 | Galvanised Pipes/ tubes with wall thickness 1mm or | 13 | Do 20/Kg |
| | below | 13 | Rs.20/Kg. |
| 149 | Galvanised Pipes/ tubes with wall thickness above | 13 | Do 20/Kg |
| | 1mm to 2mm | 13 | Rs.20/Kg. |
| 150 | Galvanised Pipes/ tubes with wall thickness above | 13 | Rs.20/Kg. |
| | 2mm to 3mm | 13 | N3.20/Ng. |
| 151 | Galvanised Pipes/ tubes with wall thickness above | 13 | Rs.20/Kg. |
| | 4mm to 5mm | 10 | NS.20/Ng. |
| 152 | Galvanised Pipes/ tubes with wall thickness 5mm | 13 | Do 20/Kg |
| | and above | 13 | Rs.20/Kg. |
| 153 | Galvanised Steel flexible Tubes/ Pipes (Conduit) in | 12 | Do 25/Va |
| | sizes ranging from 1/2" to 3" | 12 | Rs.35/Kg. |
| 154 | Gate Clip Made of Mild Steel | 12 | |
| 155 | Gate Hold Back made of Mild Steel | 12 | |
| 156 | Gate Latch Made of Mild Steel | 12 | |
| 157 | Gun metal valves | 7 | |
| 158 | MS Colour coated ghamla (made of HS Steel) | 10 | |
| 159 | Heavy Duty 9 Tons Tillers (Spring loaded without | 2 | |
| | spring cultivator) | 3 | |
| 160 | Heavy duty Fork latch | 11 | |
| 161 | Deleted | | |
| 162 | Deleted | | |
| 163 | High Chromium Grinding media balls | 7 | Rs.35/Kg. |
| 164 | Hot Dipped Galvanised tension Bar/ Gate Rods/ | | <u> </u> |
| | Truss Rods/ Drop Rods. | 9 | |
| 165 | ILD Fork | 11 | |
| 166 | ILD Guide | 11 | |
| | | | |

ieport.com - India's Premier portal on EXIM matters

| 167 | Industrial Offset Hinge | 11 | |
|-----|---|-----|----------------|
| 168 | Industrial Offset Bracket | 11 | |
| 169 | Industrial Locking Device | 11 | |
| 170 | J-bracket | 11 | |
| 171 | Locks and valves water pipe fitting | 9 | |
| 172 | Loop Cap Made of Mild Steel | 9 | |
| 173 | LPG Cylinders with valves | 9 | |
| 174 | Male Hinge/Male Bracket Made of Mild Steel | 11 | |
| 175 | Male Lag Bracket Made of Mild Steel | 9 | |
| 176 | Marine freight containers of type ICC 20'x8'x8.5' | 13 | |
| 177 | MS Paper pin & Clip | 11 | Rs.40/Kg. |
| 178 | Steel Needle Screws Self colour or Plated | 9 | |
| 179 | Nickel Plated M S Buckles | 10 | |
| 180 | Offset Rail End | 13 | |
| 181 | OTS Cans/ dingeley cans | 9 | |
| 182 | Oxygen Cylinder dia 140 NF | 11 | |
| 183 | Oxygen Cylinder dia 229 MM | 11 | |
| 184 | Deleted | 11 | |
| 185 | Photo frame (Brass) | 7 | |
| 186 | Presensitised Positive Offset Aluminium plates | 9 | |
| 187 | Pressure Stoves/ kerosene burners/ pressure lamps | 9 | |
| 107 | blow lamps/ pressure lanterns/ fancy light fittings | 7 | |
| | made of brass | 1 | |
| 400 | | 40 | |
| 188 | Rail End | 13 | |
| 189 | Rakes/Garden Rakes/ Fork Manure Hooks made of | 12 | |
| 400 | Iron and/or Steel | | |
| 190 | Rectangular/ Square Tin Plate container and/ or | 8 | |
| 404 | components thereof | | |
| 191 | Rectangular/Square Tin Plate container and/or | 8 | |
| 400 | component thereof with round neck. | | |
| 192 | Rings, Lid and Tagger Assemblies (with or without | 8 | |
| 400 | matching Bottom Piece) | | |
| 193 | Deleted | _ | |
| 194 | Sanitary and bathroom fittings (of brass) | 7 | |
| 195 | Sanitary and bathroom fittings (of gun metal) | 7 | |
| 196 | Shovels/Spades made of Iron and/or steel, with or | | |
| | without handle, irrespective of what material the | 10 | |
| | handle may have been made of | | |
| 197 | Folding bed made of mild steel | 8 | |
| 198 | Sleeve made of Mild steel | 13 | |
| 199 | Sleeve Bracket made of mild steel | 13 | |
| 200 | Stainless Steel safety razor Blades | 7 | |
| 201 | Stainless Steel Vacuum Flask | 8 | |
| 202 | Stainless steel wire rope | 9 | |
| 203 | Stapler | 4 | |
| 204 | Steel Clamp (Galvanised) and ungalvanised-All | 4.4 | |
| | types | 11 | |
| 205 | Mild Steel pegs | 10 | |
| 206 | Mild Steel Weld mesh | 11 | Rs.55/Kg. |
| 207 | Mild Steel Stranded wire | 11 | Rs.26/Kg. |
| 208 | Surgical blades other than made of High Carbon | | - |
| | Steel | 9 | |
| 209 | Surgical Blades made of High Carbon Steel | 9 | |
| 210 | Table Pencil Sharpener made of plastics | 7 | |
| 10 | 1 abio 1 offer offer friede of plastics | , | |

ieport.com - India's Premier portal on EXIM matters

| 211 | Tension Band | 11 | |
|-------|---|----|------------|
| 212 | Tiller Left Hand or Right Hand | 9 | |
| 213 | Top and Bottom cover of Round Battery Jacket | | |
| | made from Tin plate | 4 | |
| 214 | Tower Crane | 11 | |
| 215 | Track Wheel | 11 | |
| 216 | Twin type shaving system Disposable Razor Blades (one twin blade fixed on a Razor Handle with a protecting cap)/Razor Box (1 Razor Handle + 5 twin blades in a magazine both packed in a plastic box)/Razor Card(1 Razor Handle + 5 twin blades in a magazine bubbled and fixed on a card)/ Magazine (5 twin blades packed in a magazine) | 8 | |
| 217 | Twin type shaving system Razor/ Razor Handle | 6 | |
| 218 | Mild steel U-Bolt | 10 | |
| 219 | Deleted | | |
| 220 | Mild Steel Universal Bracket | 11 | |
| 221 | Valve for LPG Cylinder, Hand wheel type, made of Brass | 5 | |
| 222 | Water meters of outer casing made of brass. | 5 | |
| 223 | M.S. Wire Nails | 9 | |
| 224 | Wood screws made of carbon steel self colour or | | |
| | plated | 9 | |
| 225 | Zinc plated (Galvanised) conduit Hanger | 10 | |
| 226 | Ball/ Roller /Thrust/ clutch release/ spherical plain Bearing | 8 | Rs.600/Kg. |
| 227 | Bench Grinder 6" | 5 | |
| 228 | Brazed Carbide Tools | 9 | |
| 229 | Brazed Tools Carbide Tips | 9 | |
| 230 | Pneumatic tool | 7 | |
| 231 | Cutting Tools of High speed Steel (Cobalt Grade) | 5 | |
| 232 | Cutting tools of High Speed Steel (Non-Cobalt Grade) | 5 | |
| 233 A | Casing Pipes conforming to API Specifications 5CT or equivalent of OD 114mm to 508mm (4 to 20)made out of Seamless Steel Pipes | 13 | Rs.130/Kg. |
| 233 B | Casing Pipes confirming to API Specifications 5CT or equivalent of OD 114mm to 508 mm (4 to 20) made out of ERW Steel Pipes | 13 | Rs. 40/Kg. |
| 233 C | Tubing/Hollow Drill Rods/Coupling/Core Barrels and substitutes made out of Carbon Steel Seamless Tube/Pipe | 13 | Rs.130/Kg. |
| 234 | Drills/Reamers End Mills/ Broaches Milling cutters incuding Threading Tools/ Taps of High Speed Steel (Non-Cobalt Grade). | 8 | |
| 235 | Drills/Reamers End Mills/ Breaches/Milling cutters including Threading Tools/ Taps of High speed (Cobalt Grade) | 8 | |
| 236 | Pneumatic Revetting hammer | 7 | |
| 237 | Resin bonded diamond wheels | 4 | |
| 238 | Saws/ Segments made from high speed steel strips/ sheets | 5 | |
| 239 | Front Engined Three Wheeler Drive away Chasis in CKD/SKD/ CBU condition | 11 | |

| | | 1 | Ţ |
|-------|--|----|------------|
| 240 | Rear Engined Auto Rikshaw in CKD/SKD/CBU condition | 11 | |
| 241 | Scooter (in CKD/SKD/CBU condition) | 11 | |
| 242 | Motor Cycle (in CKD/SKD/CBU condition) | 11 | |
| 243 | Moped (in CKD/SKD/CBU condition) | 11 | |
| 244 | Alternator Assembly | 9 | |
| 245 | Non-alloy Steel Anchor Pin | 11 | |
| 246 | Armature for Delcoremy type motor | 10 | |
| 247 | Armature for Dynamo | 10 | |
| 248 | Starter Motor Armature for Low Speed Vehicles | 7 | |
| 249 | Automobile Tyre-Tube Valves | 11 | |
| 250 | BB Axle | 11 | |
| 251 | Brake shoe plate | 13 | |
| 252 | Cam | 10 | |
| 253 | Cam Shaft | 10 | |
| 254 | CBH Flate for starter motor | 10 | |
| 255 | Commutator | 7 | |
| 256 | Cone Sleeve/Axle Stud sleeve | 11 | |
| 257 | Connecting Rod | 6 | |
| 258 | Cotter pin made of steel of any quality | 11 | |
| 259 | Crank for chain wheel | 10 | |
| 260 | Crank Shaft (for four wheelers) | 10 | |
| 261 | Crank Shaft (for two wheelers) | 10 | |
| 262 | Crank-shaft Forgings/ connecting rod forgings | 10 | |
| 263 | Deep Well Hand pump complete without connecting | 10 | |
| 203 | Rods with/ without spares & Tools | 12 | |
| 264 | Deepwell hand pump with 10 connecting rods. | 12 | |
| 265 | Draw bars | 10 | |
| 266 | Drive assembly for starter motor | 9 | |
| 267 | End-Cap Assembly | 8 | |
| 268 | Field Coil for Starter Motor | 9 | |
| 269 | Flex Plate Assembly | 9 | |
| 270 | Flywheel Starter Ring Gear | 9 | |
| 271 | Front Axle beam/I-Beam | 11 | |
| 272 | Front/rear axle shaft | 11 | |
| 273 | Full Tension Sleeve made of steel | 7 | |
| 274 | Deleted | , | |
| 274 A | Galvanised Spokes other than for bi-cycles | 11 | |
| 274 B | Galvanised Spokes for bi-cycles | 11 | Rs85/gross |
| 275 | Generator (Dynamo) Assembly | 10 | 1305/gi033 |
| 276 | Half Collets for engine valves | 8 | |
| 277 | Deleted | U | |
| 278 | Steel Hub bolts | 9 | |
| 279 | Steel Hub cone | 9 | |
| 280 | Ignition Coil oil filled | 10 | |
| 281 | Ignition Coil Resin Cost | 10 | |
| 282 | Inlet exhaust valves | 5 | |
| 283 | Integral Shaft Water Pump bearing for automotive | | |
| 203 | applications | 11 | |
| 284 | King pin made out of alloy steel | 9 | |
| 285 | Laminated Leaf Springs/Springs | 8 | |
| 286 | Light Commercial Vehicle (LCV) of GVW upto 7.5 | | |
| | Mt in CBU/SKD/CKD condition | 7 | |
| 287 | Machined trailor ball/hitch pin/linkage pin | 10 | |

ieport.com - India's Premier portal on EXIM matters

| 288 | Nozzles made of steel | 7 | |
|------------|---|--------|---------------|
| 289 | Oil Bath Gear case | 8 | |
| 290 | Piston Pin/ Gudgeon Pin | 7 | |
| 291 | Push rod | 9 | |
| 292 | Rear Axle Assembly for LCV/ HCV (Assembly/SKD) | 11 | |
| 293 | Rocker Arm/ Rocker Shaft made of steel | 10 | |
| 294 | Roller for auto break shoe | 11 | |
| 295 | Shallow Well hand pump with PVC riser main pump | | |
| 200 | rod, well screen, Lower casing & upper casing. | 9 | |
| 296 | Sleeve Shaft and Ball Joint | 7 | |
| 297 | Slip Ring | 6 | |
| 298 | Slip Stub Shaft | 7 | |
| 299 | Solenoid Switch Pre-engaged type | 9 | |
| 300 | Solenoid Switch Co-axial type | 9 | |
| 301 | Spindles made of steel | 7 | |
| 302 | Sprocket with central axle | 8 | |
| 303 | Starter motor with maximum current upto 1100 | 0 | |
| 303 | · | 8 | |
| 304 | Amps Stator for alternator for Light Duty (12 Volts 60-95 | | |
| 304 | Amps) | 9 | |
| 305 | Submersible Water pump sets i.e. Pumps, Motors, | | |
| 303 | Pumpsets & Accessories thereof such as cable, | 9 | |
| | control panels & pipes | 9 | |
| 306 | Valve Tappets | 9 | |
| 307 | Voltage Regulator | 5 | |
| 308 | Aluminium Ingots | 3 | |
| 309 | Aluminium Ingots Aluminium Sow Ingots | 3 | |
| 310 | Aluminium Wire Bar/ Rod | 3 | |
| | | 7 | |
| 311 312 | Brass Washers of all types Brass Wood Screw | | |
| | | 8 7 | |
| 313 | Calcined Alumina | | |
| 314 | Copper flats/ Sheets/ Strips | 8 | |
| 315 | Copper Foils | 8 | |
| 316 | Lead Antimony Wire | 10 | |
| 317 | Phosphor Bronze fabric | 10 | D 00/1/ |
| 318 | Pressure die cast article made of zinc | 11 | Rs.60/Kg. |
| 319 | Tin Ingots | 2 | |
| 320 | Valve Stems made of brass | 5 | |
| 321 | Magnetic assemblies incorporating cast alloy | | |
| | permanent magnets viz. pot magnets, magnetic | | |
| | welding clamps/ links, Magnetic lifting | 6 | |
| | devices,magnetic racks/ vices/ door catches/ vee | | |
| 200 | blocks bases/ hold fast | | |
| 322 | Galvanised/ungalvanised spikes for use as Railway | 11 | |
| 200 | Track material | | |
| 323 | Gear cutting tools of Cobalt bearing high speed | 5 | |
| 204 | steel | | |
| 324 | Industrial Diamond prod. Diamond Grinding wheels/ | 4 | |
| 205 | Diamond file and tools | 7 | |
| 325 | Aluminium Pistons, in fully machined conditions | | |
| 326 | Ferro Chrome/ Charge Chrome | 8 | |
| 327 | Ferro Manganese (Fe Mn) | 8 | |
| 328 | Ferro Silicon (Fe Si) | 9 | D - 05500/54T |
| 329 | Cold Rolled Galvanised Non-alloy Steel | 12 | Rs.25500/MT |

ieport.com - India's Premier portal on EXIM matters

| | sheets/Hoops & Strips/ wide coils/ Circles(Plain/ | | |
|-----|---|----|-------------|
| | Corrugated) | | |
| 330 | Gas based direct reduced iron (Hot Briquetted Iron/ Sponge Iron) | 5 | |
| 331 | Graphite Electrode/ Anode/ Nipples/ Fins/Mix Graphite products/ Graphite/ finco | 11 | |
| 332 | High Alumina (Bubble Alumina Based) Bricks & Shapes and/or Castable and Mortars | 10 | |
| 333 | High Alumina (Synthetic Base) Bricks/Shapes and/or Ramming Mass, Castables and Mortars | 10 | |
| 334 | High Alumina Blast Furnace Stove Bricks/ Shapes and Mortars | 10 | |
| 335 | High Alumina Bricks and Shapes and/or Ramming Mass, Castables and Mortars | 10 | |
| 336 | High Speed Steel (cobalt grade) bars & rods/ wires/ special profiles/ flat rolled products | 11 | |
| 337 | High Speed Steel (Non Cobalt grade) bars & rods/ wires/ special profiles/ flat rolled products | 11 | |
| 338 | Magnesia Dolomite Bricks and Shapes and/or Ramming Mass, Castables and Mortars | 11 | Rs.14000/MT |
| 339 | Magnesite Chrome Magnesia Co-clinker Bricks and Shapes and/or Ramming Mass, Castables and Mortars | 11 | Rs.33000/MT |
| 340 | Magnesia Carbon Bricks/Shapes and/or Ramming Mass, Castables and Mortars | 11 | Rs.21000/MT |
| 341 | Non Alloy Steel wire Coated/ Plated or otherwise | 11 | Rs.30/Kg. |
| 342 | Hot rolled Galvanised Non-Alloy Steel Sheets /Hoops and strips/Wide coils (plain/corrugated) | 10 | |
| 343 | Non alloy Steel Ingot, Billets, Blooms and slabs | 10 | |
| 344 | Alloy Steel Wire coated, plated or otherwise. | 10 | Rs.35/Kg. |
| 345 | Non-Alloy Steel Bars & Rods (including Rounds, Flats, Hexagons, Octagons, Wire Rods, Cold Twisted deformed Bars, Thermo mechanically treated reinforcing Bars), Angles, Shapes & Sections (including Beams, Joints, Channels, Special Profiles), Rails and Sleepers | 10 | Rs.25/Kg. |
| 346 | Magnesite Bricks and Shapes and/or Ramming Mass, Castables and Mortars | 11 | Rs.21000/MT |
| 347 | Silico Manganese (Si Mn) | 8 | |
| 348 | Stainless Steel Wires | 11 | |
| 349 | CR Stainless Steel Sheets/ Hoops & Strips/ Wide Coils/Circles with/without annealing/skin passing | 12 | |
| 350 | Hot Rolled Non Alloy Steel Plates/Wide Coils/Sheets/Hoops & Strips (including skelp) | 12 | |
| 351 | Low Carbon Ferro Chrome (Containing by weight Min 60% Chromium and Max. 1.5% Carbon) | 8 | |
| 352 | Ferro Molybdenum (60-65% Molybdenum) | 6 | |
| 353 | Table, Kitchen and other household articles made of Stainless Steel with or without handle/lid irrespective of what material the handle/lid may have been made of | 13 | Rs.135/Kg. |
| 354 | Stainless Steel Cutlery with or without handle, irrespective of what material the handle may have been made of | 13 | Rs.125/Kg. |
| 355 | Aluminium artware | 6 | |

ieport.com - India's Premier portal on EXIM matters

| 356 | Aluminium Circles/Slugs | 7 | |
|------|---|-----|---|
| 357 | 11 KV, Indoor Vacuum circuit Breaker Panels | 9 | |
| 358 | CRGO Transformer Lamination (Core Laminations) | 11 | Rs.40/Kg. |
| 359 | 11 KV Heat Shrinkable Straight through Joints for | | 1 10. 10,119. |
| | XLPE Copper Cable size 3 x 240 sq. mm. | 11 | |
| 360 | Cast Iron Wheel | 9 | |
| 361 | Cold Rolled painted/ coated High Tensile steel | | D 00#4 |
| | strapping | 13 | Rs.29/Kg. |
| 362 | Ferrous investment & Precision castings | 2 | |
| 363 | Manhole Cover | 9 | |
| 364 | Sanitary casting | 9 | |
| 365A | (a) Forged Steel ball made of mild steel/non-alloy | 4.4 | D- 00/1/- |
| | steel | 11 | Rs.80/Kg. |
| 365B | (b) Forged Steel ball made of alloy steel | 11 | Rs.100/Kg. |
| 365C | (c) Forged steel ball made of stainless steel | 11 | Rs.175/Kg. |
| 366 | Thermostatic type bimetal/ trimetal strip of various | 40 | <u> </u> |
| | grades | 10 | |
| 367 | Cast Iron Weights | 9 | |
| 368 | Cast Iron Vice | 9 | |
| 369 | Hacksaw Frame | 8 | |
| 370 | Automatic Socks Knitting Machine (Mechanical) | 10 | |
| 371 | Computerised Automatic Power Socks Knitting | 40 | |
| | Machine | 10 | |
| 372 | Hydraulic End Cap | 9 | |
| 373 | Injection moulding machine parts: Deckel /Cover | 0 | |
| | made of non Alloy Steel | 9 | |
| 374 | Injection Piston | 9 | |
| 375 | Plates Injection cylinder | 9 | |
| 376 | Speed Frame Drafting System | 7 | |
| 377 | Tail Stocks made of Steel | 9 | |
| 378 | Textile Spindle upper part | 10 | |
| 379 | Textile spindle with insert | 10 | |
| 380 | Thrust housing made of Steel | 9 | |
| 381 | Alloy Steel (other than stainless steel) Ingots, Semis | | |
| | (Blooms/Billets/Slabs), Bars and Rods (including | | |
| | Rounds, Flats, Hexagon, Octagon, Wire rods etc)., | 10 | |
| | Angles, Shapes & Sections (including Special | 10 | |
| | Profiles), Plates, Hot Rolled Sheets/Hoops and | | |
| | Strips (including Skelp)/Wide Coils | | |
| 382 | Alumina Carbon Bricks/ Shapes and/or Ramming | 10 | |
| 222 | Mass, Castables and Mortars | | |
| 383 | Alumina Carbon/ Slide Gate Plate Refractory and | 10 | |
| 004 | Attachments | | |
| 384 | Alumina Fused Cast Refractories | 10 | |
| 385 | Chrome Magnesite Bricks and Shapes and/or | 11 | 14000/MT |
| 200 | Ramming Mass, Castables and Mortars | | |
| 386 | Coal based Direct Reduced Iron (Briquetted Iron/ | 5 | |
| 207 | Sponge Iron) | | DEDD Data corrected |
| 387 | Cold Rolled (including Full Hard/Half Hard/Annealed | | DEPB Rate corrected |
| | and/or Skin Passed/Temper Passed) Non- Alloy/Alloy Steel (excluding Stainless Steel) | 12 | to read as 20% w.e.f. 1/4/2003 till 9.2.2004. |
| | Sheets/Hoops and Strips/Wide-Coils, including | 12 | Thereafter DEPB rate |
| | CRCA | | will be 12% |
| 388 | Iron Ore pellets (from Limonite Ore) | 4 | WIII DG 12/0 |
| 500 | mon ore peliets (moin Limonite Ore) | + | |

ieport.com - India's Premier portal on EXIM matters

| 389 | Iron Ore Pellets. (from Haematite Ore) | 4 | |
|------------|---|-----|---------------------------------------|
| 390 | Stainless Steel Ingots, Semis (Blooms/Billets/Slabs) | - | |
| | Bars and Rods (including Rounds, Flats, Hexagons, | | |
| | Octagons, Wire rods, Cold twisted deformed bars, | | |
| | Thermo-Mechanically Treated Reinforcing Bars) | 4.4 | |
| | Angles, Shapes and Sections (including Beams, | 11 | |
| | Joints, Channels, Special Profiles), Plates/HR | | |
| | Sheets/Hoops and Strips (including Skelp)/Wide | | |
| | Coil | | |
| 391 | Pig Iron/Hot Metal | 6 | |
| 392 | Alumina Carbon Continuous Casting Refractories | 10 | |
| | and/or Mortars | 10 | |
| 393 | 2" Bungs with or without Washer/Gasket | 10 | |
| 394 | 2" Flanges with or without Washer/Gasket | 10 | |
| 395 | Bolt Axle made of mild Steel | 9 | |
| 396 | Boulevard Clamp made of Steel | 11 | |
| 397 | Box Girders for Bridges | 9 | |
| 398 | Clevis | 11 | Rs. 40/Kg. |
| 399A | Hoe Blade | 8 | |
| 399B | Hoe Eye | 8 | |
| 400 | Articles manufactured out of GP Sheets not | 0 | D= 00///= |
| | elsewhere specified | 9 | Rs.30/Kg. |
| 401 | Articles manufactured out of Tin Plate prime quality | | |
| | not elsewhere specified | 8 | |
| 402 | Postcap | 8 | |
| 403 | Rectangular tops made of Electrolytic tin plate fitted | | |
| | with screw neck & handle and bottoms | 8 | |
| 404 | Round tops/ ends (bottoms) of containers made of | 0 | |
| | tin plate | 8 | |
| 405 | Rubber Wheel made of mild steel | 13 | |
| 406 | Mild Steel Scrool | 13 | |
| 407 | Vertical Arm made of mild steel | 13 | Rs.25/Kg. |
| 408 | Y Arm Made of mild Steel | 13 | Rs.25/Kg. |
| 409 | Slitting cutters made of mild steel | 5 | • |
| 410 | Forged Crank Shaft | 10 | |
| 411 | Front Axle Beam – Forging | 10 | |
| 412 | Forged Crank Shaft Fully Machined (Made Of Alloy/ | 40 | |
| | Non-Alloy Steel) | 10 | |
| 413 | Front Axle Beam – Fully Machined | 10 | |
| 414 | MS Window, Doors, Ventilators, Grate, Grille, | 11 | Da 05/Km |
| | fabricated, frames and Components/ parts thereof | 11 | Rs.25/Kg. |
| 415 | Non Alloy Steel Flanges/ Couplings / Tees/ Elbows | 9 | |
| 416 | Seamless Stainless Steel Tubes (Cold Finished) | 11 | Rs.250/Kg. |
| 417 A | Fully Threaded Rod made of non-alloy steel/ mild | 12 | |
| l | steel(Galvanised/Ungalvanised) | 12 | Rs.20/Kg. |
| 417 B | Fully Threaded Rod made of Alloy Steel including | 12 | Rs.90/Kg. |
| | Stainless Steel | 12 | Ks.90/Kg. |
| 418 | PTFE Cables | 9 | |
| 419 | | | · · · · · · · · · · · · · · · · · · · |
| 713 | Silica Bricks/Shapes For B.F Stoves | 9 | |
| 420 | | 9 | |
| | Silica Bricks/Shapes For B.F Stoves Silica Bricks/Shapes For Coke Ovens Silica Mortar | | |
| 420 | Silica Bricks/Shapes For B.F Stoves Silica Bricks/Shapes For Coke Ovens | 9 | |
| 420 421 | Silica Bricks/Shapes For B.F Stoves Silica Bricks/Shapes For Coke Ovens Silica Mortar | 9 2 | |

ieport.com - India's Premier portal on EXIM matters

| 425 | Non Alloy Steel Castings Rough/Machined | 7 | |
|------|---|-----|------------|
| 426 | Spheroidal Graphite/ Malleable/ Ductile Iron | | |
| 720 | Castings (Rough/machined) | 7 | |
| 427 | Copper Bonded Grounding Rods | 9 | |
| 428 | Bearing Races | 2 | |
| 429 | Carbon/Non Alloy Steel Seamless Pipes/ Tube | | |
| 423 | (Cold Finish or otherwise) | 10 | |
| 430 | Alloy Steel Seamless Pipes/ Tube (Cold Finish or | | |
| 100 | otherwise) | 11 | Rs.55/Kg. |
| 431 | Fabricated Steel Hardware/ Structure/Articles not | | |
| | elsewhere specified Made out of MS HR Plates/ | 7 | |
| | Sheets/ Coils/Strips | - | |
| 432 | Industrial Roller Chain / Motorcycles including | | |
| | Moped Chain/ Automotive Timing Chains (all types | 6 | |
| | including spares) | | |
| 433 | Industrial Valves (cast or forged body) | 4 | |
| 434 | MS Bucket Handles Duly Nickel Plated | 8 | |
| 435 | Perforated Construction Stakes (Round/ Flat/ | | |
| .00 | Square) | 7 | |
| 436 | Printed Lug Cap With Internal Coating Lined With | _ | |
| .00 | PVC Compound | 4 | |
| 437 | Steel Hinges – Bar Type | 7 | Rs.20/Kg. |
| 438 | Zinc Plated (Galvanised) Steel Lock Nuts | | |
| .00 | (Blanked/Punched) from H.R.Coil/ Sheet | 9 | Rs.150/Kg. |
| 439 | Automotive Water Pump | 4 | |
| 440 | Clutch Cover Assembly | 4 | |
| 441 | Clutch Plate/Disc Assembly/Driven plate | 4 | |
| 442 | Spline Hubs for clutch plate | 4 | |
| 443 | Top Link Assembly for Tractors (Consisting of | | |
| | Tommy Bar, Replacement Ball, Replacement end, | 6 | |
| | Centre Tube and Locking Collar) Galvanised | · · | |
| 444 | Tractor Parts – Ratchet Jack Assembly | 7 | |
| 445 | Brass Wire | 9 | |
| 446 | Stainless Steel rough castings | 10 | |
| 447 | Aluminium Foil Commercial Grade Embossed/Non | 10 | |
| 7-77 | Embossed, Cut to Shape, Preformed, with/without | | |
| | Coating, with/without Printing, with/without | 7 | |
| | Reinforcing Material | | |
| 448 | Aluminium Foil Paper backed | 8 | |
| 449 | Aluminium Foil Plastic Coated/ Laminated | 7 | |
| 450 | Aluminium Foil – Synthetic Resin/ Lacquer Coated | | |
| | Printed | 7 | |
| 451 | Aluminium Foil – Synthetic Resin/ Lacquer Coated | 7 | |
| 452 | 9 KV 5 KVA Conventional Surge Arrester | - | |
| | Distribution Type With Mounting Breenet And | 10 | |
| | Insulators | | |
| 453 | Non-Alloy Ground/ Earthing Rods (Galvanised) | 10 | |
| 454 | Stainless Steel Cable Ties made of SS.316 Grade | 2 | |
| 455 | Alloy Steel Castings (Rough/Machined) | 7 | |
| 456 | Galvanised Steel Wire Strand | 9 | |
| 457 | Anchor Bolt With Nut | 7 | |
| 458 | Ferro Vanadium | 9 | |
| 459 | Magnesium Ferro Silicon | 11 | |
| 460 | Cable Ties made of Stainless Steel | 2 | |
| | | _ | |

ieport.com - India's Premier portal on EXIM matters

| 461 | Pilfer proof caps/ Seals –Plain/printed with EP Liner | 8 | |
|-----|--|----|-------------|
| 462 | Pole Line Hardware fittings and Accessories | 10 | |
| | (Galvanised) | 10 | |
| 463 | Carbon steel submerged arc welded pipes as per API grade or ASIM grade or equivalent or hot formed steel bends as per API, ASTM grade or equivalent degree: 0-180 degree | 11 | Rs.27000/MT |
| 464 | Machined /Cold rolled/Cold Formed ring for bearing races, CV cages | 9 | |
| 465 | CRCA butt hinges | 4 | |
| 466 | CRCA hinges electric brass plated | 4 | |
| 467 | CRCA hinges self colour | 4 | |
| 468 | CRCA hinges zinc plated | 4 | |
| 469 | TEE Hinges (painted/ zinc plated) made of steel | 4 | |
| 470 | Transformer (copper wound) above 100 KVA upto and including 400 KVA 3 phased, oil cooled. | 9 | |
| 471 | Transformer (copper wound) above 400 KVA upto and including 1600 KVA 3 phased, oil cooled. | 9 | |
| 472 | Transformer (copper wound) upto and including 100 KVA 3 phased, oil cooled. | 9 | |
| 473 | Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 2 mm thickness and having coating weight of 2.75 kgs +/- 5% per Sq.Mtr. | 10 | Rs.34000/MT |
| 474 | Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 2.5 mm thickness and having coating weight of 3.15 kgs +/- 5% per Sq.Mtr. | 10 | Rs.34000/MT |
| 475 | Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 3 mm thickness and having coating weight of 3.60 kgs +/- 5% per Sq.Mtr. | 10 | Rs.34000/MT |
| 476 | Carbon steel submerged Arc welded pipes with 3 layer polyethylene coating of 3.5 mm thickness and having coating weight of 4.2 kgs +/- 5% per Sq.Mtr. | 10 | Rs.34000/MT |
| 477 | Electrical measuring instrument type: moving iron moving coil dynamo meter bymetallic reed type, namely volt meter, ammeter, frequency meter, watt meter, multimeters, insulation testers, maximum demand indictor power, factor meter | 8 | |
| 478 | Electric door bell | 8 | |
| 479 | Steel tapes/rules (1 meter to 50 meters) | 4 | |
| 480 | Ceramic coated steel pipes with or without coupling | 9 | |
| 481 | Cryogenic tanks for liquified gases | 6 | |
| 482 | Stainless steel welded and cold drawn tubes/pipes Dia below 450 mm NB | 7 | |
| 483 | Hi-chrome casting composition: chromium 30-32%, molybdenum 2.5-3.5%, silicon 1.5 – 2.5%, Carbon 1.5 – 2.5% balance Iron | 7 | |
| 484 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Lead based white Metal Alloy GL-14/SAE-14 | 3 | |
| 485 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium Tin Alloy GA- 17G/A-17X | 3 | |
| 486 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Alloy GS- 30/KS-30/F-14/SAE/ 48/SL | 3 | |

ieport.com - India's Premier portal on EXIM matters

| 487 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Lead based white Metal Alloy GL-15/F-23/L-200/G-24/SAE-15 | 3 | |
|-----|---|---|--|
| 488 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Alloy GS- 10/L S-10/G-46/SAE-797/SY/F-100/F-59 | 3 | |
| 489 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper Lead Alloy of GS-23/L.S-23/G-48/SAE-799/SX/F-250/F-7 | 3 | |
| 490 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Tin Alloy GS-25/KS-25/SAE-49/SP | 3 | |
| 491 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Alloy SL/KS/30/GS/30/F-14/SAE48/SP/KS 25/GS 25/G 41/F 770-780/H 24/F112/SAE 49/SY/F 100/HF 2/LS/F-770/SL/KS 30/GS 30/F-14 | 3 | |
| 492 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Alloy F-770/SL/KS30/ GS30/F-14 | 3 | |
| 493 | Deleted | | |
| 494 | Deleted | | |
| 495 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium based F- 820/F-157/TR-20/GA 20/A 20/G 74/SAE 783/AS 15/GA 17G/A 17X/A6/GA 6/A300/G73/SAE 770-780 | 3 | |
| 496 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium Tin BASED ALLOY GA 6/ A6/G 73A 300/SAE 770/ AS11 | 3 | |
| 497 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed High Tin Alloy F-780/SP /H24/ GS25 /KS 25/G-41/SAE-49 | 3 | |
| 498 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based AlloyF100/SY/HF2/ LS10 /gs10/Glyco-46/SAE/792 | 3 | |
| 499 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Copper based Alloy F-250/SX/HF 16 orH-116/LS-23/GS-23/ Glyco-48/SAE-792 | 3 | |
| 500 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium based Alloy AS-15/F-820/F-157/GA-20/A-20/G-74/TR-20/SAE-783 | 3 | |
| 501 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium based Alloy AS-11/GA-6/A-6/G-73/A-300/SAE-770 | 3 | |
| 502 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Tin based white metal Alloy L-2/GL-12/W-90/ G-32/B-100/SAE-12 | 3 | |
| 503 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Lead Based White Metal Alloy GM-155/GL-13/L-100/F-99/SAE-13 | 3 | |
| 504 | Thinwalled Engine Bearing Bushing and Thrust Washers in Steel backed Aluminium Tin Alloy F-820 or F-157/TR-20/GA-20/A-20/G-74/SAE-783/AS- | 3 | |

ieport.com - India's Premier portal on EXIM matters

| | 15/GA-17G/A-17X | | |
|-----|---|----|------------|
| 505 | Thinwalled Engine Bearing Bushing and Thrust | | |
| | Washers in Steel backed Aluminium Tin Alloy AL-6 | 3 | |
| 506 | Thinwalled Engine Bearing Bushing and Thrust | | |
| | Washers in Steel backed Aluminium Lead Alloy F- | 3 | |
| | 66/AL-6M | | |
| 507 | Thinwalled Engine Bearing Bushing and Thrust | | |
| | Washers in Steel backed Tin based Babbit Alloy to | 3 | |
| | F-1/GL-12/W-90/G-38/B-100/SAE-12/L-2 | | |
| 508 | Thinwalled Engine Bearing Bushing and Thrust | | |
| | Washers in Steel backed Lead based Babbit Alloy to | 3 | |
| | F-23/L-200/ GL-13/L-100/F-99/SAE-13/GM-155 | | |
| 509 | Thinwalled Engine Bearing Bushing and Thrust | | |
| | Washers in Steel backed Cast Copper based Alloy | 3 | |
| | to F-112/F-77/F-770/G-41 | | |
| 510 | Metallurgical coke | 2 | |
| 511 | Chain wheel | 10 | |
| 512 | Multispeed free wheel | 8 | |
| 513 | Welded steel pipe | 7 | |
| 514 | Bronze impellers for inter stream/ Thrustream | 3 | |
| | pumps all types | | |
| 515 | Taper roller bearing | 5 | |
| 516 | Sheet metal parts of sewing machine namely | | |
| | Shuttle Race Ring, Shuttle Driven, Face Plate | | |
| | Complete, Slide Plate, Tension for plate, Bobbin | 5 | |
| | Case, Bobbin Winder Complete, Lifter, Thread | | |
| | Take Off Lever | | |
| 517 | Cast iron parts for sewing machine namely TT | | |
| | Cam, Shuttle Race complete, Claim Stop Motion, | _ | |
| | Crank, Needle Clamp, Feed Regulator, Feed Fork, | 1 | |
| | Feed Driven Rock Shaft Crank and Feed Lifting | | |
| | Rock Shaft | | |
| 518 | Miscellaneous parts of sewing machine namely | | |
| | Roller for Regulator, Pressure Bar Thumb Screw, | | |
| | Pressure Foot, Feed Cam, Needle Bar Bushing, | | |
| | Linked Body, Stud for Link, Arm Shaft, Head | 0 | Po 60/Ka |
| | Hinges, Pitman with Rod, Stand Fitting, Pitman Crank with fitting, Shuttle Hook, Centre Small Screw | 9 | Rs. 60/Kg. |
| | with Nut, Needle Plate, Pressure Bar, Screw and | | |
| | Nut for Feed Fork, Needle Bar, Screw and Nut for | | |
| | C.C Rod, Shuttle Race top spring, O/S Rock shaft | | |
| 519 | Domestic Sewing machine with standard | | |
| | accessories/ embroidery sewing machine/ Industrial | _ | |
| | sewing machine/ overlocking sewing machine with | 3 | |
| | or without cover | | |
| 520 | Portable bag closure machine | 4 | |
| 521 | Submersible pumps | 11 | |
| 522 | Non alloy steel forged (machined) hammers upto 10 | | |
| | kgs piece wt. without handle or with handle made of | 8 | |
| | steel /wood/ rubber gripped steel pipe. | | |
| 523 | Chain wheel and Crank set | 9 | |
| 524 | Triple chainwheel and crank set | 9 | |
| 525 | Multi Cylinder Fuel injection Pumps for Diesel | 0 | |
| | Engines | 8 | |
| 526 | Single Phase Motor | 4 | |
| | | | |

ieport.com - India's Premier portal on EXIM matters

| 527 | Automotive Oil filters/fuel filter/Spin on filters/oil or | 4 | |
|------|--|----|--|
| | fuel filter assembly/canister-lub oil filter/air filter | 4 | |
| 528 | Aluminium Alloy Billets | 3 | |
| 529 | Identifiable ready to use machined | | |
| | parts/components made wholly or predominantly of | | |
| | carbon steel/Non Alloy Steel (not less than 90% by | 6 | |
| | weight) manufactured through forging process, not | | |
| | elsewhere specified. | | |
| 530 | Identifiable ready to use machined | | |
| | parts/components made wholly or predominantly of | 0 | |
| | Alloy steel/Stainless Steel (not less than 90% by | 6 | |
| | weight) manufactured through forging process, not | | |
| E24 | elsewhere specified. | | |
| 531 | Identifiable ready to use machined | | |
| | parts/components made wholly or predominantly of Iron (not less than 90% by weight) manufactured | 5 | |
| | through Casting process, not elsewhere specified. | | |
| 532 | Identifiable ready to use machined | | |
| 332 | parts/components made wholly or predominantly of | | |
| | Carbon steel/Non Alloy Steel (not less than 90% by | 4 | |
| | weight) manufactured through Casting process, not | - | |
| | elsewhere specified. | | |
| 533 | Identifiable ready to use machined | | |
| | parts/components made wholly or predominantly of | | |
| | Alloy steel(0ther than Stainless Steel) (not less than | 4 | |
| | 90% by weight) manufactured through Casting | | |
| | process, not elsewhere specified. | | |
| 534 | Identifiable ready to use machined | | |
| | parts/components made wholly or predominantly of | | |
| | Stainless Steel (not less than 90% by weight) | 7 | |
| | manufactured through casting process, not | | |
| | elsewhere specified. | | |
| 535 | Brake Drums made of Alloy Cast Iron | 10 | |
| 536 | Single Phase Transformers (Copper Wound) Active | - | |
| | Parts of Single Phase Transformers, above 100 | 7 | |
| 507 | KVA, upto and including 1000 KVA. | | |
| 537 | Single Phase Transformers (Copper Wound) Active | 7 | |
| | Parts of Single Phase Transformers, above 25 KVA, | 7 | |
| 538 | upto and including 100 KVA. Single Phase Transformers (Copper Wound) Active | | |
| 550 | Parts of Single Phase Transformers, upto and | 7 | |
| | including 25 KVA. | , | |
| 539 | Single Phase Transformers (Copper Wound) Active | | |
| 000 | Parts of Single Phase Transformers, above 1000 | 7 | |
| | KVA, upto and including 4000 KVA. | • | |
| 540 | Nut and Shaft Assembly for Automobile | 5 | |
| 541 | Paper Punches | 5 | |
| 542 | Truck & Trailer Wheels | 11 | |
| 543A | (a) Carbon Steel Forged Flanges | 10 | |
| 543B | (b) Alloy Steel including Stainless Steel Forged | | |
| | Flanges | 10 | |
| 544 | Electrode holder mainly made of copper or brass | 6 | |
| 545 | Staples/ Staples in strips made of wholly galvanised | | |
| | steel wire | 6 | |
| 546 | Disc Horn | 10 | |

ieport.com - India's Premier portal on EXIM matters

| 547 | Stainless Steel casseroles | 4 | |
|------|--|----|----------------|
| 548 | Handle Bar Switch | 9 | |
| 549 | Grip for Handle Bar | 6 | |
| 550 | Frame and Field Assembly for Automobile Starter Motor upto 1.5 KW | 12 | |
| 551 | Rear Axle Housing Assembly for LCV/HCV | 10 | |
| 552 | Constant Temperature Baths | 4 | |
| 553 | Electric Lamp Caps (Aluminium) / GLS Caps B 22 D and E 27/27 - 1000 pcs | 5 | |
| 554 | Earth Moving Wheel having diameter not less than 25" | 11 | |
| 555 | Sewing Machine Part - shuttle hook - Mild steel | 8 | |
| 556 | Cold Rolled Alloy / Non Alloy Steel Hardened and Tempered Saw Blades | 2 | |
| 557 | Electrical Wiring Accessories / Components made of Phosphors Bronze | 9 | |
| 558 | Textile Machinery Spare Parts - Perforated Nickel Screen | 1 | |
| 559 | PCB Routers | 3 | |
| 560 | Electrolytic Tin Plate | 13 | |
| 561 | Plastic Extrusion Plant and Machinery | 7 | |
| 562 | Automotive Locks other than Ignition Locks | 8 | Rs.700/Kg. |
| 563A | Automobile Ignition Locks for cars | 13 | Rs.3000/Kg. |
| 563B | Automobile Ignition Locks for two wheelers | 11 | Rs.525/Kg. |
| 564 | Aluminium Oxide Resin Disc | 4 | Rs.8/Piece |
| 565 | Endless coated Zircon Cloth Belts | 9 | Rs. 330/sq.mt. |
| 566 | Non-Cast Hardware Fittings made of Stainless Steel Rod, Grade 304 | 7 | Rs.350/Kg. |
| 567 | FTL Caps | 8 | Rs.350/Kg. |
| 568 | Vetrified Grinding Wheel | 5 | |
| 569 | PCB Drills made from Solid Tungsten Carbide Blanks/Rods of Dia 0.2 mm-6.5 mm | 8 | |
| 570 | Hypodermic Needle Disposable | 4 | |
| 571 | Spheroidal Graphite Quality/Steel quality Alloy IC quality/ICDP quality/High Chrome quality Rolls for Rolling Mills. | 10 | |
| 572 | Watch Dials made out of Nickel Silver Brass Strip Published | 11 | Rs.27/Piece |
| 573 | Steel Cops/Pirn/Bobbins | 10 | Rs.56/Kg. |
| 574 | Hermetically Sealed Compressor for Air Conditioners using R-22 refrigerant gas having cooling capacity -K Cal3400 +/- 5% /4790+/-5% /5214+/-5% /6350+/-5% per hour | 10 | Rs.5000/Piece |
| 575 | Agricultural Sprinkler mainly made of Brass | 3 | |
| 576 | Earth Moving Wheel componentsGutter Band | 11 | Rs.80/Kg. |
| 577 | Earth moving wheelDetachable Flange | 9 | - |
| 578 | Chrome/Nickel Plated wire wheel for all types of car | 9 | |
| 579 | Shock Absorber | 6 | |
| 580 | Power take offs/clutches | 2 | |
| 581 | Shoulder Bolt made out of CHQ alloy steel/Stainless Steel | 4 | Rs.800/Kg. |
| 582 | Dowell Pin made out of CHQ alloy steel/Stainless Steel | 8 | Rs. 400/Kg. |
| 583 | Single Cylinder Pump for Diesel Engine | 9 | Rs.1150/Kg. |

ieport.com - India's Premier portal on EXIM matters

| 584 | Nickel Screen | 1 | |
|--------------|---|----|---|
| 585 | All Aliminium Alloy Conductor | 9 | |
| 586 | Auto Parts Double Brake Chamber Type 24 L/S | 8 | Rs.750/No. |
| 587 | Auto Parts Brake Chamber Type-16 L/S, Type-20 L/S, Type 24 L/S, Type 30 L/S, Type 30 S/S | 8 | Rs. 375/No. |
| 588 adhoc | Hermetically Sealed Compressor for Refrigerators & Commercial Refrigeration Applications using ecofriendly gases. | 10 | Rs. 1200/Pc. valid for 6 months from the date 4.2.04 applicable to M/s. Tecumseh Products (I) Ltd., & M/s BPL Compressors Ltd., Hyderabad only |
| 589 | Textile Machinery Continuous open with Chainless Mercerising Machine | 10 | Rs.700000/No. |
| 590 | Zinc Concentrates | 3 | |
| 591 | Tube Forming Rolls | 4 | |
| 592 | Diffuser and parts thereof | 5 | |